# Stella Deboss / Opal



**Housing**
Aluminum extrusion profile and steel mounting accessories

**Diffuser**
Opal diffusing polycarbonate lens with lambertian light distribution

**LED**
High-efficacy mid power LED with CRI>80, achieving L90B50 ≥ 50,000 hours of lifetime

**Driver**
Constant current output LED driver with high efficiency and Pf≥0.90

**Operating Temperature Range**
0 °C/+35 °C

**Option**
Dimming via DALI

**LL** Low Lumen
**ML** Medium Lumen
**HL** High Lumen


*Matte natural anodized housing, finising G90 custom color.


Ral 9016 Ral 9005 *Andz.

| Type Code | Power (w) | CCT (K) | Light Output (lm) | CRI | V/Hz | Cut-out Size (mm) | L (mm) | L1 (mm) | Lumen Variations |
|---|---|---|---|---|---|---|---|---|---|
| GSTD.871.12.40 | 12 | 4000 | 1120 | 80 | 220 - 240 / 50 - 60 | 860x60 | 871 | 857 | LL |
| GSTD.871.12.30 | 12 | 3000 | 1060 | 80 | 220 - 240 / 50 - 60 | 860x60 | 871 | 857 | LL |
| GSTD.871.23.40 | 23 | 4000 | 2250 | 80 | 220 - 240 / 50 - 60 | 860x60 | 871 | 857 | ML |
| GSTD.871.23.30 | 23 | 3000 | 2140 | 80 | 220 - 240 / 50 - 60 | 860x60 | 871 | 857 | ML |
| GSTD.871.37.40 | 37 | 4000 | 4030 | 80 | 220 - 240 / 50 - 60 | 860x60 | 871 | 857 | HL |
| GSTD.871.37.30 | 37 | 3000 | 3830 | 80 | 220 - 240 / 50 - 60 | 860x60 | 871 | 857 | HL |
| GSTD.1151.16.40 | 16 | 4000 | 1490 | 80 | 220 - 240 / 50 - 60 | 1140x60 | 1151 | 1137 | LL |
| GSTD.1151.16.30 | 16 | 3000 | 1400 | 80 | 220 - 240 / 50 - 60 | 1140x60 | 1151 | 1137 | LL |
| GSTD.1151.31.40 | 31 | 4000 | 2980 | 80 | 220 - 240 / 50 - 60 | 1140x60 | 1151 | 1137 | ML |
| GSTD.1151.31.30 | 31 | 3000 | 2830 | 80 | 220 - 240 / 50 | 1140x60 | 1151 | 1137 | ML |

| Type Code | Power (w) | CCT (K) | Light Output (lm) | CRI | V/Hz | Cut-out Size (mm) | L (mm) | L1 (mm) | Lumen Variations |
|---|---|---|---|---|---|---|---|---|---|
| GSTD.1151.31.30 | 31 | 3000 | 2830 | 80 | - 60 | 1140x60 | 1151 | 1137 | ML |
| GSTD.1151.51.40 | 51 | 4000 | 4900 | 80 | 220 - 240 / 50 - 60 | 1140x60 | 1151 | 1137 | HL |
| GSTD.1151.51.30 | 51 | 3000 | 4650 | 80 | 220 - 240 / 50 - 60 | 1140x60 | 1151 | 1137 | HL |
| GSTD.1431.19.40 | 19 | 4000 | 1870 | 80 | 220 - 240 / 50 - 60 | 1420x60 | 1431 | 1417 | LL |
| GSTD.1431.19.30 | 19 | 3000 | 1760 | 80 | 220 - 240 / 50 - 60 | 1420x60 | 1431 | 1417 | LL |
| GSTD.1431.35.40 | 35 | 4000 | 3750 | 80 | 220 - 240 / 50 - 60 | 1420x60 | 1431 | 1417 | ML |
| GSTD.1431.35.30 | 35 | 3000 | 3560 | 80 | 220 - 240 / 50 - 60 | 1420x60 | 1431 | 1417 | ML |
| GSTD.1431.64.40 | 64 | 4000 | 6700 | 80 | 220 - 240 / 50 - 60 | 1420x60 | 1431 | 1417 | HL |
| GSTD.1431.64.30 | 64 | 3000 | 6370 | 80 | 220 - 240 / 50 - 60 | 1420x60 | 1431 | 1417 | HL |
| GSTD.1711.23.40 | 23 | 4000 | 2240 | 80 | 220 - 240 / 50 - 60 | 1700x60 | 1711 | 1697 | LL |
| GSTD.1711.23.30 | 23 | 3000 | 2110 | 80 | 220 - 240 / 50 - 60 | 1700x60 | 1711 | 1697 | LL |
| GSTD.1711.43.40 | 43 | 4000 | 4470 | 80 | 220 - 240 / 50 - 60 | 1700x60 | 1711 | 1697 | ML |
| GSTD.1711.43.30 | 43 | 3000 | 4240 | 80 | 220 - 240 / 50 - 60 | 1700x60 | 1711 | 1697 | ML |
| GSTD.1711.77.40 | 77 | 4000 | 7350 | 80 | 220 - 240 / 50 - 60 | 1700x60 | 1711 | 1697 | HL |
| GSTD.1711.77.30 | 77 | 3000 | 6980 | 80 | 220 - 240 / 50 - 60 | 1700x60 | 1711 | 1697 | HL |
| GSTD.1991.28.40 | 28 | 4000 | 2460 | 80 | 220 - 240 / 50 - 60 | 1980x60 | 1991 | 1977 | LL |
| GSTD.1991.28.30 | 28 | 3000 | 2460 | 80 | 220 - 240 / 50 - 60 | 1980x60 | 1991 | 1977 | LL |
| GSTD.1991.53.40 | 53 | 4000 | 5230 | 80 | 220 - 240 / 50 - 60 | 1980x60 | 1991 | 1977 | ML |
| GSTD.1991.53.30 | 53 | 3000 | 4970 | 80 | 220 - 240 / 50 - 60 | 1980x60 | 1991 | 1977 | ML |
| GSTD.1991.87.40 | 87 | 4000 | 8600 | 80 | 220 - 240 / 50 - 60 | 1980x60 | 1991 | 1977 | HL |
| GSTD.1991.87.30 | 87 | 3000 | 8170 | 80 | 220 - 240 / 50 - 60 | 1980x60 | 1991 | 1977 | HL |
| GSTD.2271.32.40 | 32 | 4000 | 2990 | 80 | 220 - 240 / 50 - 60 | 2260x60 | 2271 | 2257 | LL |
| GSTD.2271.32.30 | 32 | 3000 | 2840 | 80 | 220 - 240 / 50 - 60 | 2260x60 | 2271 | 2257 | LL |
| GSTD.2271.68.40 | 68 | 4000 | 5960 | 80 | 220 - 240 / 50 - 60 | 2260x60 | 2271 | 2257 | ML |

| Type Code | Power (w) | CCT (K) | Light Output (lm) | CRI | V/Hz | Cut-out Size (mm) | L (mm) | L1 (mm) | Lumen Variations |
|---|---|---|---|---|---|---|---|---|---|
| GSTD.2271.68.30 | 68 | 3000 | 5660 | 80 | 220 - 240 / 50 - 60 | 2260x60 | 2271 | 2257 | ML |
| GSTD.2271.100.40 | 100 | 4000 | 9750 | 80 | 220 - 240 / 50 - 60 | 2260x60 | 2271 | 2257 | HL |
| GSTD.2271.100.30 | 100 | 3000 | 9260 | 80 | 220 - 240 / 50 - 60 | 2260x60 | 2271 | 2257 | HL |
| GSTD.2551.36.40 | 36 | 4000 | 3360 | 80 | 220 - 240 / 50 - 60 | 2540x60 | 2551 | 2537 | LL |
| GSTD.2551.36.30 | 36 | 3000 | 3160 | 80 | 220 - 240 / 50 - 60 | 2540x60 | 2551 | 2537 | LL |
| GSTD.2551.68.40 | 68 | 4000 | 6720 | 80 | 220 - 240 / 50 - 60 | 2540x60 | 2551 | 2537 | ML |
| GSTD.2551.68.30 | 68 | 3000 | 6390 | 80 | 220 - 240 / 50 - 60 | 2540x60 | 2551 | 2537 | ML |
| GSTD.2551.112.40 | 112 | 4000 | 11070 | 80 | 220 - 240 / 50 - 60 | 2540x60 | 2551 | 2537 | HL |
| GSTD.2551.112.30 | 112 | 3000 | 10520 | 80 | 220 - 240 / 50 - 60 | 2540x60 | 2551 | 2537 | HL |
| GSTD.2831.40.40 | 40 | 4000 | 3730 | 80 | 220 - 240 / 50 - 60 | 2820x60 | 2831 | 2817 | LL |
| GSTD.2831.40.30 | 40 | 3000 | 3550 | 80 | 220 - 240 / 50 - 60 | 2820x60 | 2831 | 2817 | LL |
| GSTD.2831.76.40 | 76 | 4000 | 7450 | 80 | 220 - 240 / 50 - 60 | 2820x60 | 2831 | 2817 | ML |
| GSTD.2831.76.30 | 76 | 3000 | 7070 | 80 | 220 - 240 / 50 - 60 | 2820x60 | 2831 | 2817 | ML |
| GSTD.2831.124.40 | 124 | 4000 | 11850 | 80 | 220 - 240 / 50 - 60 | 2820x60 | 2831 | 2817 | HL |
| GSTD.2831.124.30 | 124 | 3000 | 11250 | 80 | 220 - 240 / 50 - 60 | 2820x60 | 2831 | 2817 | HL |




L1
72
L
58
130
Min. 10
Max. 45
55
69