



# Stella One-C / Micro



## Housing

Aluminum extrusion profile and steel mounting accessories

## Diffuser

Microprismatic diffuser providing homogeneous light distribution

## LED

High-efficacy mid power LED with CRI>80, achieving L90B50 ≥ 50,000 hours of lifetime

## Driver

Constant current output LED driver with high efficiency and Pf≥0.90

## Operating Temperature Range

0 °C/+35 °C

## Option

Dimming via DALI

**LL** Low Lumen - Low UGR

**ML** Medium Lumen - Low UGR

**HL** High Lumen - Low UGR

- Cont/End modules cannot be used as single. At least one piece Start module is required.

\*Matte natural anodized housing.



Ral 9016 Ral 9005 \*Andz.

| Type Code            | Power (w) | CCT (K) | Light Output (lm) | CRI | V/Hz                | L (mm) | Lumen Variations |
|----------------------|-----------|---------|-------------------|-----|---------------------|--------|------------------|
| SCSMD.1121.16.40     | 16        | 4000    | 1320              | 80  | 220 - 240 / 50 - 60 | 1121   | LL               |
| SCSMD.1121.16.30     | 16        | 3000    | 1240              | 80  | 220 - 240 / 50 - 60 | 1121   | LL               |
| SCSMD.1121.31.40     | 31        | 4000    | 2810              | 80  | 220 - 240 / 50 - 60 | 1121   | ML               |
| SCSMD.1121.31.30     | 31        | 3000    | 2670              | 80  | 220 - 240 / 50 - 60 | 1121   | ML               |
| SCSMD.1121.51.40     | 51        | 4000    | 4620              | 80  | 220 - 240 / 50 - 60 | 1121   | HL               |
| SCSMD.1121.51.30     | 51        | 3000    | 4390              | 80  | 220 - 240 / 50 - 60 | 1121   | HL               |
| SCSMD.<br>1401.19.40 | 19        | 4000    | 1730              | 80  | 220 - 240 / 50 - 60 | 1401   | LL               |
| SCSMD.<br>1401.19.30 | 19        | 3000    | 1630              | 80  | 220 - 240 / 50 - 60 | 1401   | LL               |
| SCSMD.<br>1401.35.40 | 35        | 4000    | 3530              | 80  | 220 - 240 / 50 - 60 | 1401   | ML               |
| SCSMD.<br>1401.35.30 | 35        | 3000    | 3360              | 80  | 220 - 240 / 50 - 60 | 1401   | ML               |
| SCSMD.<br>1401.64.40 | 64        | 4000    | 5450              | 80  | 220 - 240 / 50 - 60 | 1401   | HL               |
| SCSMD.<br>1401.64.30 | 64        | 3000    | 5170              | 80  | 220 - 240 / 50 - 60 | 1401   | HL               |
| SCSMD.               | 23        | 4000    | 1990              | 80  | 220 - 240 / 50 - 60 | 1681   | LL               |

| Type Code             | Power (w) | CCT (K) | Light Output (lm) | CRI | V/Hz                | L (mm) | Lumen Variations |
|-----------------------|-----------|---------|-------------------|-----|---------------------|--------|------------------|
| 1681.23.40            | 23        | 4000    | 1990              | 80  | 220 - 240 / 50 - 60 | 1681   | LL               |
| SCSMD.<br>1681.23.30  | 23        | 3000    | 1870              | 80  | 220 - 240 / 50 - 60 | 1681   | LL               |
| SCSMD.<br>1681.42.40  | 42        | 4000    | 4210              | 80  | 220 - 240 / 50 - 60 | 1681   | ML               |
| SCSMD.<br>1681.42.30  | 42        | 3000    | 4000              | 80  | 220 - 240 / 50 - 60 | 1681   | ML               |
| SCSMD.<br>1681.77.40  | 77        | 4000    | 6930              | 80  | 220 - 240 / 50 - 60 | 1681   | HL               |
| SCSMD.<br>1681.77.30  | 77        | 3000    | 6590              | 80  | 220 - 240 / 50 - 60 | 1681   | HL               |
| SCSMD.<br>1961.28.40  | 28        | 4000    | 2390              | 80  | 220 - 240 / 50 - 60 | 1961   | LL               |
| SCSMD.<br>1961.28.30  | 28        | 3000    | 2250              | 80  | 220 - 240 / 50 - 60 | 1961   | LL               |
| SCSMD.<br>1961.53.40  | 53        | 4000    | 4940              | 80  | 220 - 240 / 50 - 60 | 1961   | ML               |
| SCSMD.<br>1961.53.30  | 53        | 3000    | 4690              | 80  | 220 - 240 / 50 - 60 | 1961   | ML               |
| SCSMD.<br>1961.87.40  | 87        | 4000    | 8120              | 80  | 220 - 240 / 50 - 60 | 1961   | HL               |
| SCSMD.<br>1961.87.30  | 87        | 3000    | 7710              | 80  | 220 - 240 / 50 - 60 | 1961   | HL               |
| SCSMD.<br>2241.32.40  | 32        | 4000    | 2650              | 80  | 220 - 240 / 50 - 60 | 2241   | LL               |
| SCSMD.<br>2241.32.30  | 32        | 3000    | 2490              | 80  | 220 - 240 / 50 - 60 | 2241   | LL               |
| SCSMD.<br>2241.61.40  | 61        | 4000    | 5620              | 80  | 220 - 240 / 50 - 60 | 2241   | ML               |
| SCSMD.<br>2241.61.30  | 61        | 3000    | 5340              | 80  | 220 - 240 / 50 - 60 | 2241   | ML               |
| SCSMD.<br>2241.100.40 | 100       | 4000    | 9200              | 80  | 220 - 240 / 50 - 60 | 2241   | HL               |
| SCSMD.<br>2241.100.30 | 100       | 3000    | 8740              | 80  | 220 - 240 / 50 - 60 | 2241   | HL               |
| SCSMD.<br>2521.36.40  | 36        | 4000    | 3050              | 80  | 220 - 240 / 50 - 60 | 2521   | LL               |
| SCSMD.<br>2521.36.30  | 36        | 3000    | 2870              | 80  | 220 - 240 / 50 - 60 | 2521   | LL               |
| SCSMD.<br>2521.68.40  | 68        | 4000    | 6340              | 80  | 220 - 240 / 50 - 60 | 2521   | ML               |
| SCSMD.<br>2521.68.30  | 68        | 3000    | 6030              | 80  | 220 - 240 / 50 - 60 | 2521   | ML               |
| SCSMD.<br>2521.112.40 | 112       | 4000    | 10450             | 80  | 220 - 240 / 50 - 60 | 2521   | HL               |
| SCSMD.<br>2521.112.30 | 112       | 3000    | 9920              | 80  | 220 - 240 / 50 - 60 | 2521   | HL               |

| Type Code             | Power (w) | CCT (K) | Light Output (lm) | CRI | V/Hz                | L (mm) | Lumen Variations |
|-----------------------|-----------|---------|-------------------|-----|---------------------|--------|------------------|
| SCSMD.<br>2801.40.40  | 40        | 4000    | 3310              | 80  | 220 - 240 / 50 - 60 | 2801   | LL               |
| SCSMD.<br>2801.40.30  | 40        | 3000    | 3110              | 80  | 220 - 240 / 50 - 60 | 2801   | LL               |
| SCSMD.<br>2801.76.40  | 76        | 4000    | 7030              | 80  | 220 - 240 / 50 - 60 | 2801   | ML               |
| SCSMD.<br>2801.76.30  | 76        | 3000    | 5050              | 80  | 220 - 240 / 50 - 60 | 2801   | ML               |
| SCSMD.<br>2801.124.40 | 124       | 4000    | 11180             | 80  | 220 - 240 / 50 - 60 | 2801   | HL               |
| SCSMD.<br>2801.124.30 | 124       | 3000    | 10620             | 80  | 220 - 240 / 50 - 60 | 2801   | HL               |
| STRSMD.<br>6058.16.40 | 16        | 4000    | 1320              | 80  | 220 - 240 / 50 - 60 |        | LL               |
| STRSMD.<br>6058.16.30 | 16        | 3000    | 1240              | 80  | 220 - 240 / 50 - 60 |        | LL               |
| STRSMD.<br>6058.31.40 | 31        | 4000    | 2810              | 80  | 220 - 240 / 50 - 60 |        | ML               |
| STRSMD.<br>6058.31.30 | 31        | 3000    | 2670              | 80  | 220 - 240 / 50 - 60 |        | ML               |
| STRSMD.<br>6058.51.40 | 51        | 4000    | 4620              | 80  | 220 - 240 / 50 - 60 |        | HL               |
| STRSMD.<br>6058.51.30 | 51        | 3000    | 4390              | 80  | 220 - 240 / 50 - 60 |        | HL               |
| STLSMD.<br>6058.16.40 | 16        | 4000    | 1320              | 80  | 220 - 240 / 50 - 60 |        | LL               |
| STLSMD.<br>6058.16.30 | 16        | 3000    | 1230              | 80  | 220 - 240 / 50 - 60 |        | LL               |
| STLSMD.<br>6058.31.40 | 31        | 4000    | 2190              | 80  | 220 - 240 / 50 - 60 |        | ML               |
| STLSMD.<br>6058.31.30 | 31        | 3000    | 2020              | 80  | 220 - 240 / 50 - 60 |        | ML               |
| STLSMD.<br>6058.51.40 | 51        | 4000    | 3640              | 80  | 220 - 240 / 50 - 60 |        | HL               |
| STLSMD.<br>6058.51.30 | 51        | 3000    | 3350              | 80  | 220 - 240 / 50 - 60 |        | HL               |

